UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/666,115	09/19/2003	LeNoir E. Zaiser	2173.2004-001	8421	
Rodney D. Joh	7590 12/28/2007		EXAM	INER	
R.D. Johnson &	Rodney D. Johnson, Esq. R.D. Johnson & Associates, P.C.			SCHNEIDER, CRAIG M	
70 Walnut Stre Wellesley Hills			ART UNIT	PAPER NUMBER	
,	,		3753		
			MAIL DATE	DELIVERY MODE	
			12/28/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/666,115	ZAISER ET AL.	
Office Action Summary	Examiner	Art Unit	, , ,
	Craig M. Schneider	3753	
The MAILING DATE of this communication appeariod for Reply	pears on the cover sheet wi	th the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 136(a). In no event, however, may a re- will apply and will expire SIX (6) MON e, cause the application to become AB	CATION. Sply be timely filed THS from the mailing date of this communication ANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 01 h	November 2007.		
2a) ☐ This action is FINAL . 2b) ☑ This	s action is non-final.		
3) Since this application is in condition for allowa	•	•	is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D	. 11, 453 O.G. 213.	
Disposition of Claims			
4) Claim(s) 2,4,5,7-22 and 24-30 is/are pending	in the application.		
4a) Of the above claim(s) 24-26 and 30 is/are	withdrawn from considerati	on.	
5) Claim(s) is/are allowed.			
6) Claim(s) is/are rejected.		,	
7) Claim(s) is/are objected to.			
8) Claim(s) <u>2, 4, 5, 7-22, and 27-29</u> are subject t	o restriction and/or election	requirement.	
Application Papers			
9)☐ The specification is objected to by the Examine	er.	•	
10) ☐ The drawing(s) filed on is/are: a) ☐ acc	cepted or b) objected to	by the Examiner.	
Applicant may not request that any objection to the	* ' '		
Replacement drawing sheet(s) including the correct	, -	•	(d).
11) ☐ The oath or declaration is objected to by the E	xaminer. Note the attached	Office Action of form P10-152.	
Priority under 35 U.S.C. § 119			
12) ☐ Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. §	119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
1. Certified copies of the priority documen	ts have been received.		
2. Certified copies of the priority documen			
3. Copies of the certified copies of the price	<u>-</u>	received in this National Stage	
application from the International Burea	• • • • • • • • • • • • • • • • • • • •	rossived	
* See the attached detailed Office action for a list	t of the certified copies not	i eceiveu.	
Attachment(s)			
1) Notice of References Cited (PTO-892)	4) Interview S	Summary (PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s	s)/Mail Date	
3) Information Disclosure Statement(s) (PTO/SB/08)	· ==	nformal Patent Application	

DETAILED ACTION

Election/Restrictions

- 1. The pending application was originally restricted in the Office Action dated 3/21/06. The application is being further restricted per the following restriction requirement.
- 2. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 2, 4, 5, 7-18, and 27-29, drawn to pneumatic differential pressure valve, classified in class 137, subclass 544.
 - II. Claims 19-22, drawn to a gas flow device, classified in class 222, subclass3.

The inventions are distinct, each from the other because of the following reasons:

3. Inventions I and II are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination II has separate utility such as filtering a gas flow that is exiting a nozzle for dispensing a purified gas flow. See MPEP § 806.05(d).

The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a

Application/Control Number:

10/666,115 Art Unit: 3753

continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

4. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction is not required because the inventions have acquired a separate status in the art in view of their different classification, restriction for examination purposes as indicated is proper.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

10/666,115 Art Unit: 3753

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig M. Schneider whose telephone number is (571) 272-3607. The examiner can normally be reached on M-F 8:30 -5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Huson can be reached on (571) 272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CMS CMS
December 17, 2007

DINH Q. NGUYEN PRIMARY EXAMINER